

**UNITED STATES DISTRICT COURT  
DISTRICT OF MINNESOTA**

---

In re Bair Hugger Forced Air Warming  
Products Liability Litigation

MDL No. 15-2666 (JNE/DTS)

This Document Relates To:

**DEFENDANTS' RULE 7.1(F)  
CERTIFICATE OF COMPLIANCE**

*Petitta v. 3M Co.*, 16-cv-3878

---

I, Benjamin W. Hulse, certify that Defendants' Response to Plaintiffs' Supplement in Opposition to Defendants' Motion for a Permanent Injunction ("Response") complies with the limits of Local Rule 7.1(f) and with the type-size limit of Local Rule 7.1(h).

I further certify that, in preparation of the above document, I used Microsoft Word 2016, and that this word processing program has been applied specifically to include all text, including headings, footnotes, and quotations in the following word count.

I further certify that the above-referenced Response contains 495 words, and that with Defendants' initial Memorandum of 2,557 words and Reply of 5,059 words, the three documents combined contain 8,111 words.

Dated: August 6, 2019

Respectfully submitted,

s/Benjamin W. Hulse

Jerry W. Blackwell (MN #186867)

Benjamin W. Hulse (MN #0390952)

Mary S. Young (MN #0392781)

BLACKWELL BURKE P.A.

431 South Seventh Street

Suite 2500

Minneapolis, MN 55415

Phone: (612) 343-3200

Fax: (612) 343-3205

Email: [blackwell@blackwellburke.com](mailto:blackwell@blackwellburke.com)

[bhulse@blackwellburke.com](mailto:bhulse@blackwellburke.com)

[myoung@blackwellburke.com](mailto:myoung@blackwellburke.com)

**Counsel for Defendants 3M Company  
and Arizant Healthcare, Inc.**